# 9.5 R4: Small Lot Residential



## 9.5.1 Purpose

The purpose is to provide a **zone** for **single detached housing**, and compatible uses, on smaller urban serviced **lots**. The R4c sub-zoning district allows for **care centre**, **major** as an additional use. The R4h sub-zoning district allows for **home based business**, **major** as an additional use. (Bylaw 5467)

### 9.5.2 Primary Uses

- care centre, major (use is only permitted with the R4c sub-zoning district)
- single detached housing
- semi-detached housing (Bylaw 5715)

#### 9.5.3 Secondary Uses

- accessory dwellings-(Bylaw 5978)
- boarding rooms
- bed and breakfast homes (in single detached housing only) (Bylaw 5498)
- care centres, minor
- home based businesses, minor
- home based businesses, major (use is only permitted with the R4h sub-zoning district)
- secondary suites (Bylaw 5969)

#### 9.5.4 Subdivision Regulations

- Minimum lot width is 10.0m, except it is 14.0m for a corner lot.
- Minimum lot area is 320m², or 10,000m² if not serviced by a community sewer system.

#### 9.5.5 Development Regulations

- Maximum site coverage is 40% and together with driveways, parking areas and impermeable surfaces shall not exceed 50%.
- Maximum height is 10.0m, except it is 4.5m for secondary buildings and structures.
- Minimum front yard is 3.5m.
- Minimum side yard is 1.2m for a 1 or 1.5 storey portion of a building and 1.5m for a 2 or 2.5 storey portion of a building, except it is 3.5m from a flanking street. Where there is no direct vehicular access to the rear yard or to an attached garage or carport, one side yard shall be at least 3.0m.
- For party wall semi-detached housing one side yard, not flanking a street, may be reduced to 0.0m. There shall be no windows or doors on the side of the dwelling without the side yard.
- Minimum rear yard is 6.0m for a 1 or 1.5 storey portion of a building and 7.5m for a 2 or 2.5 storey portion of a building, except it is 1.0m for secondary buildings. Where the lot width exceeds the lot depth, the minimum rear yard is 4.5m provided that one side yard shall have a minimum width of 4.5m.
- The maximum height of any vertical wall element facing a front, flanking or rear yard (including walkout basements) is 6.5m, above which the building must be set back at least 1.2m.

### 9.5.6 Other Regulations

- There shall be no more than one single detached house or one semi-detached unit per lot. (Bylaw 5715)
- Where development has access to a rear lane, vehicular access to the development is only permitted from the rear lane.
- One garage or **carport**, or the location for one, shall be provided on the **lot**.
- For strata developments, common recreation buildings, facilities and amenities may be included in the strata plan. Recreational buildings shall be treated as **secondary buildings** for the purpose of determining the **height** and **setbacks** of the **building** as specified in each **zone**.
- In addition to the regulations listed above, other regulations may apply. These include the general **development** regulations of Section 4 (secondary **development**, **yards**, projections into **yards**, lighting, agricultural setbacks, etc.); the specific use regulations of Section 5; the **landscaping** and fencing provisions of Section 6; and, the parking and loading regulations of Section 7.
- As per Section 4.10.2 All buildings and structures, excluding perimeter fencing (garden walls and fences) on lots abutting City Roads as identified on Schedule "B" shall not be sited closer to the City Road than the setback as per the appropriate zone measured from the offset Rights of Way as illustrated on Schedule "B". (Bylaw 5440)